

KOMBAT KARBACHICK

Version: 1.2

Revision Date: December 2016


1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND COMPANY UNDERTAKING:
PRODUCT INFORMATION

Product Name : KOMBAT KARBACHICK
Design Code :
Registration No. : L8610, Act No. 36 of 1947
Use : Insecticide
Company : Kombat (Pty) Ltd
 39 Dr. Gordon Road
 Greytown
 3250
Telephone : +27-33-417-1906/7



Harmful



Dangerous for the environment

EMERGENCY TELEPHONE NUMBERS
SPILLAGES:

Emergency telephone: +27-82-446-8946 (all hours)

POISONING INCIDENTS:

Poison Information Centre of the Western Cape: +27-861-555-777 (all hours)
 Griffon Poison Information Centre +27-82-446-8946 (all hours)
 UFS Pharmacology/Toxicology information centre: +27-82-491-0160

2. HAZARD IDENTIFICATION
Toxicity class: WHO III CAUTION

ADI: 0.01 mg/kg b.w

NOEL: 200 mg/kg (rats) - 2 year

ACGIH: 5 mg/m³ Carbaryl

 10 mg/m³ Nuisance dust

STEL: 15 mins 10 mg/m³
TWA: 8 hours 5 mg/m³
Main Hazard:

Toxic to fish and bees. Carbaryl is a carbamate compound, which inhibits cholinesterase. It is toxic. Contact with skin, inhalation of dust or spray, or swallowing may be fatal.

Fire and explosion hazard:

Slight fire hazard when exposed to heat or flame. Dust-air mixtures may ignite or explode.

**Biological Hazard:**

Likely routes of exposure: May be absorbed from the gastrointestinal tract, through the intact skin, and through inhalation of fine spray mist or dust.

Eye contact:

Tests indicate the product is minimally toxic, however caution should be practiced when handling the product. The product was found to be non-irritating.

Skin contact:

Tests indicate the product is minimally toxic, however caution should be practiced when handling the product. The product was found to be non-irritating.

Ingestion:

Toxic by ingestion. See point 4 for symptoms.

Inhalation:

Toxic by inhalation. See point 4 for symptoms.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Common name: Carbaryl

Chemical Name: 1-naphthyl methylcarbamate
(IUPAC)

CAS No.: 63-25-2

Chemical Family: Carbamate 50 g/kg

Chemical Formula: C₁₂H₁₁NO₂

Molecular weight: 201.2

Use: A dustable powder insecticide for certain agricultural, public health and household uses. A residual contact and stomach poison for the control of insect pests as listed on the label.

Formulation: Wettable Powder

Symbols: Xn, N

Risk-phrase(s): R22

4. FIRST- AID MEASURES

Proper care should be taken during occupational use to avoid any inhalation of dust and spray particles, and to prevent accidental contamination of food products and water.

The product is a Cholinesterase inhibitor.

Inhalation:

Acute exposure:

When inhaled, the first effects of cholinesterase inhibition are usually respiratory and may include nasal hyperaemia and watery discharge, chest discomfort, dyspnea, and wheezing due to increased bronchial secretions and bronchoconstriction. Other systemic effects may begin within a few minutes or several hours of exposure. Symptoms may include nausea, vomiting, diarrhoea, abdominal cramps, headache, vertigo, ocular pain, ciliary muscle spasm, blurring or dimness of vision, miosis, or in some cases mydriasis, lacrimation, salivation, sweating, and confusion. Other reported central nervous system or neuromuscular effects include ataxia, slurred speech, weakness, fatigue, twitching, fasciculation, tremor, and eventually paralysis of the extremities and possibly of the respiratory muscles. In severe cases, there may also be involuntary defecation



and urination, bradycardia, hypotension, pulmonary oedema, convulsions, coma, and death from respiratory failure or cardiac arrest. Carbaryl does not accumulate in mammalian tissue and the cholinesterase inhibition reverses rather rapidly. In non-fatal cases, the illness generally lasts less than 24 hours.

Chronic exposure:

Prolonged or repeated exposure may cause effects as described in acute exposure.

First aid:

Remove from exposure area to fresh air immediately. If breathing has stopped, give mechanical artificial respiration (not direct mouth-to-mouth). Maintain airway and blood pressure and administer oxygen if available. Keep affected person warm and at rest. Treat symptomatically and supportively. Qualified personnel should perform administration of oxygen. Get medical attention immediately.

Skin contact :

Acute exposure:

Some compounds may cause irritation. Localized sweating and fasciculations may occur at the site of contact. If sufficient amounts are absorbed through the skin, other effects of cholinesterase inhibition may occur as described in acute inhalation. Symptoms may be delayed for 2-3 hours, usually no more than 8 hours.

Chronic exposure:

Repeated or prolonged exposure may cause effects as described in acute exposure.

First aid:

Remove contaminated clothing immediately. Wash contaminated areas with soap and water followed by alcohol. Emergency personnel should wear gloves and avoid contamination. Treat respiratory difficulty with mechanical artificial respiration. Get medical attention immediately.

Eye contact :

Acute exposure:

Direct contact may cause pain, hyperaemia, and lacrimation, twitching of the eyelids, miosis, and ciliary muscle spasm with loss of accommodation, blurred or dimmed vision and browache. Sometimes mydriasis may occur instead of miosis. With sufficient exposure, other symptoms of cholinesterase inhibition may occur as described in acute inhalation.

Chronic exposure:

Prolonged exposure may cause effects as described in acute exposure. Some compounds have caused toxic effects on the crystalline lens, conjunctival thickening and obstruction of nasolacrimal canals when used as miotic eye drops.

First aid:

Irrigate eyes with water or saline solution. If symptoms of poisoning occur, treat respiratory difficulty with mechanical artificial respiration and oxygen. Observe patient for at least 24-36 hours. Get medical attention immediately. Qualified medical personnel should administer oxygen.

Ingestion:

Acute exposure:

When ingested, the first effects may be nausea, vomiting, anorexia, abdominal cramps, and diarrhoea. With absorption from the gastrointestinal tract, the other effects of cholinesterase inhibition as described in acute inhalation may occur. Symptoms may begin within minutes or be delayed several hours.

Chronic exposure:

Repeated ingestion may cause effects as described in acute exposure.

First aid:

If person is alert and respiration is not depressed, give syrup of Ipecac followed by water (if vomiting occurs, keep head below hips to prevent aspiration). If consciousness level declines or vomiting has not occurred in 15 minutes empty stomach by gastric lavage with the aid of cuffed endotracheal tube using isotonic saline or 5 % sodium bicarbonate follow with activated charcoal. Establish and maintain airway. Treat respiratory difficulty with artificial respiration and oxygen.



Do not administer morphine, aminophylline, phenothiazines, reserpine, furosemide, or ethacrynic acid. Drugs like 2 PAM are not effective in treating poisoning with Carbaryl AND SHOULD NOT BE USED.

Treat symptomatically and supportively. Qualified medical personnel must perform administration of oxygen and gastric lavage. Get medical attention immediately.

Advice to physician:

Antidote:

The following antidote has been recommended. However, the decision as to whether the severity of poisoning requires administration of any antidote and actual dose required should be made by qualified medical personnel.

For cholinesterase inhibitors: Establish clear airway and tissue oxygenation by aspiration of secretions, and if necessary, by assisted pulmonary ventilation with oxygen. Improve tissue oxygenation as much as possible before administering atropine to minimise the risk of ventricular fibrillation. Administer atropine sulphate intravenously, or intramuscularly if iv injection is not possible. In moderately severe poisoning administer atropine sulphate, 0.4-2.0 mg repeated every 15 minutes, until atropinization is achieved (tachycardia, flushing, dry mouth, mydriasis). Maintain atropinization by repeated doses for 2-12 hours, or longer, depending on the severity of poisoning. The appearance of rales in the lung bases, miosis, salivation, nausea, bradycardia, are all indications of inadequate atropinization. Severely poisoned individuals may exhibit remarkable tolerance to atropine. Two or more times the dosages suggested above may be needed. Persons not poisoned or only slightly poisoned, however, may develop signs of atropine toxicity from such large dosages: fever, muscle fibrillations, and delirium are main signs of atropine toxicity. If these signs appear while the patient is fully atropinized, atropine administration should be discontinued, at least temporarily. Observe treated patients closely at least 24 hours to ensure that symptoms (possibly pulmonary oedema) do not recur as atropinization wears off. In very severe poisonings, metabolic disposition of toxicant may require several hours or days during which atropinization must be maintained. Markedly lower levels of urinary metabolites indicate that atropine dosage can be tapered off. As dosage is reduced, check the lung bases frequently for rales. If rales are heard or other symptoms return, re-establish atropinization promptly.

5. FIRE-FIGHTING MEASURES

Fire and explosion hazard:

Slight fire hazard when exposed to heat or flame. Dust-air mixtures may ignite or explode.

Extinguishing agents:

Extinguish small fires with carbon dioxide, dry powder, Halon, water spray, or alcohol-resistant foam. Water spray can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Contain water used for firefighting for later disposal

Firefighting:

Move containers from fire area if possible. Fight fire from maximum distance. Stay away from storage tank ends. Contain fire control water for later disposal. Do not scatter material, extinguish only if flow can be stopped. Use flooding amounts of water as a fog as solid streams may be ineffective. Cool containers with flooding amounts of water as far a distance as possible. Use water spray to absorb toxic vapours. Avoid breathing toxic vapours. Keep upwind. Consider evacuation of downwind area if material is leaking.



Special Hazards:

Fire may produce irritating or poisonous vapours (nitrogen oxides), mists or other products of combustion.

Personal protective equipment:

Carbaryl dust may be transported in the smoke from a fire. Fire fighters and others that may be exposed should wear full protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Avoid contact with skin and eyes. Do not breathe in dust or fumes. For personal protection see Section 8.

Environmental precautions:

Do not allow entering drains or watercourses. When the product contaminates public waters, inform appropriate authorities immediately in accordance with local regulations.

Occupational spill:

Do not touch spilled material. Stop leak if you can do so without risk. Use water spray to reduce vapours (contain any water used). For **small spills**, sweep up with sand or other suitable absorbent material, such as sawdust, and place into containers for later disposal. Move containers from spill area. For **larger spills**, contain material far ahead of spill for later disposal. Keep spectators away. Isolate hazard area and deny entry. Ventilate closed spaces before entering.

7. HANDLING AND STORAGE

Handling:

Toxic by inhalation or if swallowed. Avoid contact with eyes, prolonged contact with skin, and inhalation of dust and vapour. Use with adequate ventilation. Wash hands before eating, drinking, chewing gum, smoking, or using the toilet. Remove clothing immediately if this product gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Water used to clean equipment must be disposed of correctly to avoid contamination.

Storage:

The product must be kept under lock and key. Keep out of reach of unauthorized persons, children and animals. Store in its original labelled container in shaded, well-ventilated area, away from heat, sparks and other sources of ignition. Not to be stored next to foodstuffs and water supplies. Local regulations should be complied with.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Occupational exposure limits:

No occupational limits established by OSHA, ACGIH or NIOSH



Engineering control measures:

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

PERSONAL PROTECTIVE EQUIPMENT:

If engineering controls and work practices are not effective in controlling exposure to this material, then wear suitable personal protective equipment including approved respiratory protection.

Respirator:

An approved respirator suitable for protection from dusts and mists of pesticides is adequate. Limitations of respirator use specified by the approving agency and the manufacturer must be observed.

Clothing:

Employee must wear appropriate protective (impervious) clothing and equipment to prevent repeated or prolonged skin contact with the substance.

Gloves:

Employee must wear appropriate synthetic protective gloves to prevent contact with this substance.

Eye protection:

The use of full-face protection is recommended.

Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

White to off-white powder.

Odour:

Odourless.

Flammability:

Not flammable.

Explosive properties:

Like most organic powders, this product could form explosive mixture in air, under severe dust conditions.

Flash point:

193 °C (data for technical material).

Oxidising properties:

Not oxidative.

pH:

No data available.

**Stability:**

Stable in neutral and acidic media, but hydrolyzed in alkaline media to 1-naphthol. Rapidly converted by oxidizing agents. Stable in light and heat.

Persistent foaming:

Not available.

Solubility in water:

The product is a not a wettable powder.

10. STABILITY AND REACTIVITY**Stability:**

Stable up to 2 years under normal storage conditions. Stable in neutral and acidic media, but hydrolyzed by concentrated alkalis to form 1-naphthol. Half-life is 12 days (pH 7) and 3.2 days (pH 9). The rate of decomposition increases at higher temperatures. Carbaryl is stable to light and heat.

Incompatibility:

Compatible with most insecticides, fungicides and acaricides. Alkaline substances such as lime and Bordeaux mixture may reduce the activity of the product. The product should therefore not be used if the soil or water have high pH values.

Hazardous decomposition:

Toxic oxides of nitrogen are released when the product decomposes on heating.

11. TOXICOLOGICAL INFORMATION

All data is calculated from values of technical material

Acute oral LD₅₀:

5,280 mg/kg in male rats. (Formulation)

500 mg/kg in female rats. TC

14,200 mg/kg in rabbits (Formulation)

Acute dermal LD₅₀:

> 80,000 mg/kg in rats. (Formulation)

> 40,000 mg/kg in rabbits. (Formulation)

Although tests indicate low LD₅₀ values, caution should be practiced when handling the product.

Acute inhalation LC₅₀:

> 65.6 mg/l of air over 4 hours (rats). (Formulation)

Acute skin irritation:

The product was found to be non-irritating to skin (rabbit).

Acute eye irritation:

The product was found to be non-irritating to eyes (rabbit).

Dermal sensitization:

No data available.

Carcinogenicity:

Evidence indicates that carbaryl is unlikely to be carcinogenic in humans.

Teratogenicity:

Evidence for teratogenic effects due to chronic exposure is minimal in test animals.

**Mutagenicity:**

Carbaryl has been shown to affect cell division and chromosomes in rates. However, evidence suggests that carbaryl is unlikely to be mutagenic to humans.

12. ECOLOGICAL INFORMATION**Degradability:**

In soil, the active ingredient is metabolized to form 1-naphthol. The half-life of the product is 7-14 days in sandy loam soils and 14-28 days in clay loam. Soils with high organic matter content retain residues for longer periods than do mineral soils.

Mobility:

The product is adsorbed on soil and is unlikely to leach into water sources.

Accumulation:

The product adsorbs to soil but shows little or no tendency to bio-accumulate. Carbaryl has very limited persistence in the environment.

ECOTOXICOLOGY:

All data is from values of technical material

Birds: Minimally toxic to birds.

Acute oral LD₅₀: > 2179 mg/kg (young mallard ducks).

> 2230 mg/kg (Japanese quail).

> 2000 mg/kg (young pheasants).

1000 - 3000 mg/kg (pigeons).

Fish: Toxic to fish.

LC₅₀ (96 hr): 1.3 mg/l (rainbow trout).

10 mg/l (bluegill sunfish).

2.2 mg/l (sheepshead minnow).

Bees: Toxic to bees.

LD₅₀ (topical): 1 µg/bee.

Daphnia: Very toxic to Daphnia.

Daphnia magna: EC₅₀ (48 hours): 0,006 mg / l.

Earthworms:

Toxic for earthworms.

Beneficial insects:

Toxic to beneficial insects.

Soil micro-organisms:

Various soil fungi are able to metabolize carbaryl and in soils previously treated with carbamates and cloethocarb, 80% of carbaryl was completely mineralized to carbon dioxide during a four-week incubation period.

13. DISPOSAL CONSIDERATIONS**Pesticide disposal:**

Contaminated absorbents, surplus product, etc., should be burned at 1000°C in a high-temperature incinerator with effluent gas scrubbing. Where no incinerator is available, hydrolysis under alkaline conditions (pH 12 or above) is a suitable method to dispose of small quantities of the product. Before disposal of the resultant waste, the material must be analyzed to ensure that the active ingredient has been degraded to a safe level. Never pour untreated waste or surplus



products into public sewers or where there is any danger of run-off or seepage into water systems. Comply with local legislation applying to waste disposal.

Package product wastes:

If container is broken, handle with rubber gloves. Emptied containers retain vapour and product residues. Observe all labelled safeguards until container is destroyed. Combustible containers should be disposed of in pesticide incinerators.

14. TRANSPORT INFORMATION

UN NUMBER 2757

ADR/IRD

Substance name: Carbamate pesticide, solid, toxic
(Carbaryl 50 g/kg)

Label: 6.1

IMDG/IMO

Packaging group: III

Label of class: 6.1 **Marine pollutant**

Shipping name: Carbamate pesticide, solid, toxic
(Carbaryl 50 g/kg).

AIR/IATA

Shipping name: Carbamate pesticide, solid, toxic (Carbaryl 50 g/kg).

Class: 6.1

Hazard Label: Toxic

Packaging Group: III

Passenger Aircraft: Y 619 (10kg), 619 (max 100 kg)

Cargo Aircraft: 619 (max 200 kg).

15. REGULATORY INFORMATION

Symbol: Xn, N

Indication of danger: Harmful, Environmentally Hazardous Substance

Risk phrases:

R 22 Harmful if swallowed

Safety phrases:

S 2 Keep out of reach of children.

S 22 Avoid breathe dust.

S 24 Avoid skin contact.

S 36/37 Wear suitable protective clothing and gloves.

S 46 If swallowed, seek medical advice immediately and show label or MSDS.

S 61 Avoid release to the environment. Refer to special instructions on the label and MSDS.

National legislation:

In accordance with the South African National Road Traffic Act, 1996 (Act 93 of 1996), the Fire Brigade Act, 1987 (Act 99 of 1987) and the Occupational Health and Safety Act, 1993 (Act. No. 85 of 1993)



16. OTHER INFORMATION

Packing and labelling

Packed in 50gr, 75gr, 200gr, 250gr, 500gr; 750gr; 1kg, 2kg, 5kg, 10kg, 20kg, 25 kg 3-ply paper bags or polyprop woven bags or HDPE/PET containers or paper/HDPE/PET construction sachets. Labelled according to South African regulations and guidelines.

Declaration:

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS and is presented in good faith believed to be correct. This information applies to the PRODUCT AS SUCH. In case of formulations or mixes, it is necessary to ascertain that a new danger will not appear. It is the responsibility of persons in receipt of this SDS to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces formulation(s) containing this product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from this SDS to their own SDS.
