Version: 1.2

Revision Date: December 2016



Dangerous for

the environment

Harmful

1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND COMPANY UNDERTAKING:

PRODUCT INFORMATION

Product Name : KOMBAT ROACHES

Design Code :

Registration No. : L9045, Act No. 36 of 1947

Use : Insecticide

Company : Kombat (Pty) Ltd

39 Dr. Gordon Road

Greytown 3250

Telephone : +27-33-417-1906/7

EMERGENCY TELEPHONE NUMBERS

SPILLAGES:

Emergency telephone: +27-82-446-8946 (all hours)

POISONING INCIDENTS:

Poison Information Centre of the Western Cape: +27-861-555-777 (all hours) Griffon Poison Information Centre +27-82-446-8946 (all hours) UFS Pharmacology/Toxicology information centre: +27-82-491-0160

2. HAZARD IDENTIFICATION

Note: Please refer to Section 11 for detailed toxicological information.

Emergency Overview: The active ingredient at high concentrations is highly toxic to fish

and other aquatic organisms.

Physical State: Liquid

Odor: Characteristic of mineral spirits.

Appearance: Off-white

Routes of Exposure: Skin contact and absorption and vapor/mist inhalation.

Immediate Effects:

Eye: Corrosive – causes irreversible eye damage.

Skin: Causes moderate skin irritation. Prolonged or frequently repeated

skin contact may cause allergic reactions in some individuals.

Harmful if absorbed through skin.

Ingestion: Fatal if swallowed. **Inhalation:** Harmful is inhaled.

Version: 1.2

Revision Date: December 2016

3. COMPOSITION / INFORMATION ON INGREDIENTS

PRODUCT DESCRIPTION:

For insect control on cotton.

Component Name CAS No Concentration % by weight

Minimum Maximum

Deltamethrin 52918-63-5 01.0 Inert ingredients, including 90.0

Aromatic Hydrocarbons Trade Secrets

N-Methyl-pyrrolidone 872-50-4 < 15.0000

4. FIRST- AID MEASURES

Eye: Hold eyelids open and flush with a steady, gentle stream of water for at

least 15 minutes. Seek medical attention.

Skin: Wash with plenty of soap and water. Seek medical attention.

Ingestion: Call a doctor or get medical attention. Do not induce vomiting because

aspiration hazard. Do not give anything by mouth to an unconscious person.

Avoid alcohol.

Inhalation: Remove victim to fresh air. If not breathing, give artificial respiration,

preferably mouth to mouth. Get medical attention.

Note to Physician: Probable muscular damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Flash Point: 172°F / 78° C

Test type: Closed Cup

Extinguishing Media:

For small fires: use dry chemical, carbon dioxide (CO₂)

For large fires, use foam, water, move containers from fire area if within risk. Cool containers with water from maximum distance.

Fire Fighting Instructions:

Keep upwind. Isolate hazard area. Avoid inhalation of smoke and fumes. Use water or foam to reduce fumes. Do not touch spilled material. Avoid release of extinguishing water into the environment.

6. ACCIDENTAL RELEASE MEASURES

General and Disposal:

Use proper protective equipment to minimize personal exposure (See section 8). Take all necessary action to prevent and to remedy the effects of the spill. Ensure that the disposal is in compliance with Federal or local disposal regulations. Notify the appropriate authorities immediately. See Section 13 for any applicable Reportable Quantity (RQ) and other federal regulatory information. Report immediately to

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

KOMBAT ROACHES

Version: 1.2

Revision Date: December 2016

authorities if liquid enters watercourse or sewer.

Land Spill and Leaks:

Combustible liquid. Do not touch spilled material. Take up with sand, earth or other non-combustible absorbent material or dike for later disposal. Avoid flame or sparks.

7. HANDLING AND STORAGE

Handling:

Avoid breathing spray mist. Do not get in eyes, on skin, or on clothing. Do not use near heat or open flame.

Storage:

Do not use or store near heat or open flame. Do not contaminate water, food, or feed by storage or disposal.

Work/ Hygienic Procedures:

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this products concentrate. Do not reuse them.

For additional handling precautions, refer to the Product Label for "User Safety Recommendations", as defined by the EPA Worker Protection Standard (40 CFR part 170)

Min/Max Storage Temperatures:

Do not store over 40 °C or below 0°C.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Controls:

Control airborne concentrations below the exposure guidelines. Local exhaust ventilation may be necessary, when used in a confined area.

Eye/Face Protection:

Protective eyewear, goggles or face-shield.

Body Protection:

Chemical-resistant gloves such as barrier laminate or viton.

Respiratory Protection:

When ventilation is inadequate wear either a respirator with an organic vapor-removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number 14G)

AGRICULTURAL USES:

The following personal protective equipment (PPE) must be worn when using product or upon early entry into treated areas during the Restricted Entry Interval (REI):

- Overalls over short-sleeved shirts and short pants
- Chemical-resistant gloves such as barrier laminate or viton
- Chemical-resistant footwear plus socks

Version: 1.2

Revision Date: December 2016

- Protective eyewear
- Chemical-resistant headgear for overhead exposure

Exposure Limits:

N-Methyl-pyrrolidone 872-50-4 WEEL TWA 10 ppm 40mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Liquid Color : Off-white

Odor : Characteristic of mineral spirits

Bulk Density (g/ml): 8.99 lbs/gallonFlash point: 179°F / 78°CSolubility: Dispersible

pH : 4.8 Specific Gravity : 1.08

10. STABILITY AND REACTIVITY

Chemical Stability:

Stable

Hazardous Polymerization (Conditions to avoid):

Will not occur

11. TOXICOLOGICAL INFORMATION (Active ingredient technical)

Acute Oral Toxicity:Rat: LD50: 42.9 mg/kg.Highly ToxicAcute Dermal Toxicity:Rat: LD50: >2000 mg/kgSlightly toxicAcute Inhalation Toxicity:Rat: LC50: 0.57 mg/l 4 hModerately Toxic

Skin Irritation: Rabbit: Moderately irritating

Eye Irritation: Rabbit: Corrosive – causes irreversible eye damage

Sensitization: Guinea pig: Weakly sensitizing

Chronic Toxicity:

In a 2 year feeding study in mice, deltamethrin was found to not be oncogenic at levels up to 12 mg/kg (male) and 15 mg/kg (Female)

Assessment Carcinogenicity:

ACGIH None

IARC Detamethrin 52918-63-5 3

OSHA None

Teratogenicity:

Deltamethrin was not teratogenic to rats or rabbits.

Version: 1.2

Revision Date: December 2016

Mutagenicity:

Deltamethrin was non-genotoxic in a battery of in vitro and in vivo genotoxicity assays.

12. ECOLOGICAL INFORMATION

Acute and Prolonged:

Deltamethrin Technical

Toxicity to Fish: Fish: LC50: 0.001-0.01 mg/l: Extremely Toxic

Environmental Precautions:

This pesticide is extremely toxic to fish and other aquatic organisms, including crab and shrimp. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift or runoff from treated fields may kill fish and other aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of equipment wastewaters.

This product is highly toxic to bees exposed to direct treatment.

Do not apply it, oractively foraging allow it to drift, to crops or weeds on which bees are.

Ecological Information:

Notify regulatory authorities and Kombat immediately if you observe any adverse environmental effects due to the use of Kombat Roaches.

NOTICE: It is an offense to use any pesticide in a manner that results in the death of a member of an endangered species.

13. DISPOSAL CONSIDERATIONS

General Disposal Guidance:

Any disposal practice must be in compliance with all national, provincial, and local laws and regulations. Provincial) and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Chemical additions, processing, storage, or otherwise altering this material may make the waste disposal information presented in this SDS incomplete, inaccurate or otherwise inappropriate. Waste characterization and disposal compliance are the responsibility solely of the party generating the waste of deciding to discard or dispose of the material.

Pesticide Disposal: Do not contaminate water, food of feed by storage of disposal.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of national laws. If these wastes cannot be disposed of by use according to label instructions, contact a registered hazardous waste facility for guidance.

Container Disposal:

Empty containers should be triple rinsed into the spray tank during operation. Then offer for recycling to a licensed plastics recycler.

RCRA Classification:

Not Regulated under this Statute.

SARA Title III - section 313 - toxic chemical release reporting

N-Methyl-pyrrolidone 872-50-4 1%

Version: 1.2

Revision Date: December 2016

14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: Pesticides, liquid, toxic, N.O.S. (Deltamethrin), 6.1, UN 2902, PG II, *

* Insert total net volume

DOT SHIPPING LABEL: Poison

NOTE: For transportation purposes (49 CFR Part 173.132), the calculated LC50 (rat - 1 hr) is: 2.28 mg/l

15. REGULATORY INFORMATION

International Regulations EU Classification

Deltamethrin 52918-63-5 Toxic Dangerous for the environment R Phrases Also toxic by inhalation and if swallowed. Very toxic to

aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

S Phrases Keep locked-up and out of the reach of children. Avoid

contact with skin, wash immediately with plenty of water. Wear suitable protective clothing. Gloves and eye/face protection. In case of insufficient ventilation, wear suitable respiratory equipment. In case of accident or if you feel unwell, seek medical advice immediately (Show label where possible). This material and release to the environment. Refer to special instructions/ safety data sheets.

European Inventory of Existing Commercial Substances (EINECS)

Deltamethrin 52918-63-5 N-Methyl-pyrrolidone 872-50-4

16. OTHER INFORMATION

Usage : A broad spectrum insecticide

ROACHES is the property of KOMBAT (Pty) Ltd.

Read the label before use or buy.

Disclaimer:

Read the label before use or buy.

All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors or omissions or the consequence thereof.

This document is intended only as a guide to the appropriate handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for the particular purpose. KOMBAT (Pty) Ltd. make no representation or warranties, either express or implied, including without limitation any warranties of merchant ability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. According KOMBAT (Pty) Ltd will not be responsible for damages resulting from the use of or reliance upon this information.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

KOMBAT ROACHES

Version: 1.2

Revision Date: December 2016