



KOMBAT WEEDS

Reg. No. L3189 Act No. 36 of 1947

READ THE LABEL BEFORE USE AND KEEP OUT OF REACH OF CHILDREN AND ANIMALS

A hormone type water miscible concentrate herbicide for the selective control of broadleaf weeds, as listed, in lawns.

Active Ingredient:

MCPA (Potassium salt)
(Phenoxy compound) 400 g/l



WARNING

HRAC HERBICIDE GROUP CODE 0

HAZARD STATEMENTS:

- May be Harmful if swallowed.
- Very toxic to aquatic life.

PRECAUTIONARY STATEMENTS:

- Wash hands and face thoroughly after handling. Do not touch eyes.
- Do not eat, drink or smoke when using this product.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- Avoid release into the environment.
- IF SWALLOWED: Get medical help.
- Collect spillage.
- Dispose of contents/container to suitable landfill in accordance with local regulations.

Registration Holder:

KOMBAT (Pty) Ltd
Reg. No. 2009/023766/07
39 Dr Gordon Street
Greytown, 3250
Tel: +27 (0) 33 417 1906/7

Distributed by:

Starke Ayres (Pty) Ltd
Reg. No. 1984/011013/07
9th Road, Kempton Park, 1619
Tel: +27 (0) 11 748 3550
info@starkeayres.com

Customer Care No: +27 (0) 860 782 753

Emergency No: +27 (0) 82 446 8946

Relevant Substance		Concentration (%)
MCPA (Potassium Salt)		
CAS N°	5221-16-9	≤ 40 %

SYMPTOMS OF POISONING

Very high acute exposure could include slurred speech, twitching, jerking and spasms, drooling, low blood pressure, and unconsciousness.

FIRST AID TREATMENT

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure.

Inhalation: Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if person feels unwell.

Skin: Remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. Obtain medical attention if person feels unwell.

Eyes: Flush eyes with clean water. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing.

Ingestion: Seek medical attention or call a poison control centre for treatment advice. Do not induce vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If the person is alert, rinse mouth thoroughly with water.

NOTE TO PHYSICIAN

Advice to physician: There is no specific antidote available. Treat symptomatically and supportively.

DISCLAIMER

Although this remedy has been intensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions; quality of dilution water; compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or the occurrence of conditions which could not have been foreseen in the terms of the registration. Consult the supplier in the event of any uncertainty.

DIRECTIONS FOR USE

Use only as indicated.

- Allow 7 days between last application and grazing of treated areas.
- Handle with care. Re-entry interval: Do not enter treated field within 1 day after application unless wearing protective clothing.
- Clean applicator with a household ammonia solution (1 %) before using with other material.
- Let solution stand for several hours, preferably overnight. Rinse at least twice. This applicator should not be used for applying chemicals other than herbicides.
- Destroy empty container by perforation and flattening and NEVER use for any other purpose.

MIXING AND SPRAY PROCEDURES:

Add the required amount of KOMBAT WEEDS to the recommended amount of water, agitate thoroughly and apply as an even spray. For the best results apply on small active growing weeds in damp soil.

DILUTION RATES:

CROP	PEST	APPLICATION RATE 100m ²	REMARKS
ESTABLISHED LAWNS	Various Broadleaf weeds	50 ml product per 5L water	Apply only on established lawns. Applications of a nitrogenous fertilizer. 2-3 weeks before spraying is recommended.
MAIZE (Pre emergence)	Annual Broadleaf weeds & grasses	50 ml product per 5L water	Repeat application if necessary. Mainly annual weeds. Apply 5-6 days after plant on moist and well-prepared soil.
(Post emergence)		25 ml per 5L water	
POTATOES (Pre emergence)	Annual broadleaf weeds and grasses	50 ml product per 5L water	Apply between rows after plants reached 45 cm height. Apply to a damp seedbed, immediately after plant and before grass seedlings emerge.

USE RESTRICTIONS

To prevent damage, do not permit drift, vapour or spray mist to come into contact with sensitive broadleaf crops, fruit or ornamentals. Apply the product strictly in accordance with the application directions. Avoid using fine spray droplets.

Resistance warning:

For resistance management, WEEDS is a group code O herbicide. Any weed population may contain individuals naturally resistant to WEEDS and other group code O herbicides. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds may not be controlled by WEEDS or any other group code O herbicide.

To delay weed resistance:

Avoid exclusive repeated use of herbicides from the same herbicide group code. Alternate or tank-mix with products from different herbicide group codes. Integrate the control methods (chemical, cultural, biological) into weed control programmes.

For specific information on resistance management contact the registration holder of this product.